






Created: 2 hours, 5 minutes after earthquake

PAGER

Version 4

M 5.5, 144 km WNW of Naha, Japan


Origin Time: 2022-02-21 20:52:32 UTC (Tue 04:52:32 local) Location: 26.8813° N 126.4362° E Depth: 9.7 km



Green alert for shaking-related fatalities Estimated Economic Losses and economic losses. There is a low likeli-



hood of casualties and damage.




Estimated Population Exposed to Earthquake Shaking

						<u> </u>				
ESTIMATED POPULATION EXPOSURE (k=x1000)		_*	1,256k	9k	0	0	0	0	0	0
ESTIMATED MODIFIED MERCALLI INTENSITY		I	11-111	IV	V	VI	VII	VIII	IX	X+
PERCEIVED SHAKING		Not felt	Weak	Light	Moderate	Strong	Very Strong	Severe	Violent	Extreme
POTENTIAL	Resistant Structures	None	None	None	V. Light	Light	Moderate	Mod./Heavy	Heavy	V. Heavy
DAMAGE	Vulnerable Structures	None	None	None	Light	Moderate	Mod./Heavy	Heavy	V. Heavy	V. Heavy

^{*}Estimated exposure only includes population within the map area.

Population Exposure

population per 1 sq. km from Landscan



PAGER content is automatically generated, and only considers losses due to structural damage. Limitations of input data, shaking estimates, and loss models may add uncertainty. https://earthquake.usgs.gov/earthquakes/eventpage/us7000gmrx#pager

Structures

Overall, the population in this region resides in structures that are resistant to earthquake shaking, though vulnerable structures exist. The predominant vulnerable building types are heavy wood frame and reinforced/confined masonry construction.

Historical Earthquakes

Date (UTC)	Dist. (km)	Mag.	Max MMI(#)	Shaking Deaths
2001-08-17	123	5.9	V(10k)	-
2001-12-08	336	6.2	VII(75k)	_
1990-05-17	140	5.8	VII(162k)	_

Selected City Exposure

from Geonames.org					
MMI	City	Population			
Ш	Tomigusuku	56k			
Ш	Naha	301k			
Ш	Okinawa	125k			
Ш	Ginowan	92k			
Ш	Ishikawa	22k			
Ш	Chatan	28k			
Ш	Nago	60k			
Ш	Itoman	57k			
Ш	Gushikawa	65k			
Ш	Katsuren-haebaru	34k			

bold cities appear on map.

(k = x1000)

Event ID: us7000gmrx